G4D98429/2GO
PRELIMINARY ASSESSMENT
FOR
THE BP SANDY PLAINS DRUM SITE

ALLIAS (SEE)

PRELIMINARY ASSESSMENT

for

The BP Sandy Plains Drumsite
2670 Sandy Plains Road
Marietta, Georgia 30060
EPA ID No. GAD984291260

Prepared for

U.S. Environmental Protection Agency Region IV

Prepared by:

Reginald K. Young

Georgia Environmental Protection Division

January 15, 1993

PRELIMINARY ASSESSMENT

The BP Sandy Plains Drumsite 2670 Sandy Plains Road Marietta, Georgia 30060

1.0 INTRODUCTION

Under authority of the Comprehensive Environmental Response, Compensation and Liability Act of 1986 (SARA), the Department of Natural Resources (DNR, Environmental Protection Division (EPD) conducted a Preliminary Assessment (PA) at the BP Sandy Plains Drumsite in Marietta, Georgia. The purpose of this investigation was to collect information concerning conditions at the BP Sandy Plains Drumsite sufficient to assess the threat posed to human health and the environment to determine the need for additional investigation under CERCLA/SARA or other action. The scope of the investigation included review of available file information or comprehensive target survey and an on-site inspection.

2.0 SITE DESCRIPTION, OPERATIONAL HISTORY AND WASTE CHARACTERISTICS

2.1 Location

The BP Sandy Plains Site is a gas station/convenience store located at 2670 Sandy Plains, Marietta Cobb County, Georgia. The geographic coordinates are 34° 00′ 45″ N latitude and 84° 29′ 44″ longitude. There are several residences, a shopping center, three gas stations, and some other commercial enterprises within a one-quarter mile radius of the property. The shopping center is adjacent to the site, located on the same corner of the intersection. Both Sandy Plains Road and Barrett Parkway are heavily trafficked.

2.2 Site Description

The BP Sandy Plains Site is a retail convenience store and gas station. A dumpster is located in the northeast corner of the quarter acre lot the site occupies. Two black 55-gallon polydrums were abandoned directly behind the dumpster.

2.3 Operational History and Waste Characteristics

The BP Sandy Plains Site was referred to the Emergency Response and Removal Branch (ERRB) by the Marietta Police Department (MPD) on April 10, 1992. The On-Scene Coordinator (OSC) discovered two unmarked, 55-gallon containers of unknown liquid. Upon viewing the scene, the OSC issued a verbal delivery order to an ERCS contractor to do a hazard category screening, remove the drums to a secure facility, sample the drums to identify their contents, and then arrange for the appropriate disposal of the material.

Since the liquid in the drums was determined to be flammable at a minimum, the liquid in the drums would meet the definition of RCRA characteristic waste D001. This means that the abandoned drums contained hazardous substance, as defined by Section 101 of CERCLA. The abandonment of these drums constituted a threat of a release of hazardous substances to the environment. The OSC directed that the hazardous substances found at the site be screened for safe transport, and moved to a secure RCRA facility. After this was completed the drums were sampled to definitively identify their contents. The drums were transported to MKC, Inc. during the evening of April 10, 1992. There were no signs of releases observed during the visual inspection of the site by Georgia EPD on November 18, 1992.

3.0 GROUNDWATER PATHWAY

3.1 Hydrogeologic Setting

The BP Sandy Plains Site is located in Gwinnett-County. Regionally, the facility is located in the Southern Piedmont Province Rocks in this province, defined as the Atlanta Group, are interpreted to be exposed in a large-scale synformal anticline. The Atlanta Group is characterized by metamorphosed sedimentary and volcanic rocks that have many similarities to lithologies of those found in the North Piedmont Province. Numerous

deformational events have occurred across the region and have created such items as faults, fractures, joints, foliation, folds, regional metamorphism, and both extrusive and intrusive igneous activity. On a smaller scale, the facility site is mapped as having a granitic gneiss bedrock. Overlying the bedrock are soils and saprolite formed by in situ weathering of the bedrock. Depth to competent bedrock generally exceeds six feet. In general, there are two interconnected aquifers found in this area: the surficial or saprolite aquifer and the bedrock or crystalling aquifer. Groundwater occupies joints, fractures, and other secondary openings in the crystalline rock, and pore spaces in the overlying saprolite. Recharge is by precipitation seeping through this material or by flowing directly into openings in exposed bedrock. The amount of stored water depends on the size and distribution of the joints and fractures, as well as the thickness and porosity of the overlying saprolite. Groundwater is typically found under water table conditions at depths in excess of 30 (estimate) feet.

3.2 Groundwater Targets

The majority of the population within a 4-mile radius of the BP Sandy Plains Site obtains potable water from the Cobb County water system. There are approximately sixty (60) private drinking water wells within this radius.

3.3 Groundwater Conclusions

A release to groundwater is not known and considered at this site. Furthermore, remediation by the Emergency Response Branch of U.S. EPA and their contractor has effectively removed the abandoned drums from the site.

4.0 SURFACE WATER PATHWAY

4.1 Hydrologic Setting

Surface water runoff from the BP Sandy Plains Site would flow in a Northwesterly direction near the BP car wash and eventually into the Cobb County Storm water runoff system.

4.2 Surface Water Targets

There are no drinking water intakes on the surface water pathway of this site.

4.3 Surface Water Conclusions

The surface water pathway is not of concern at the BP Sandy Plains Site. There is no sign of discolored soil or contamination at the site, therefore, a release to the surface water is not suspected.

5.0 SOIL EXPOSURE AND AIR PATHWAY

5.1 Physical Conditions

The BP Sandy Plains Site is active and is located in a heavy commercial area (zone) at the intersection of very commercialized Sandy Plains Road and Piedmont Road. There is no natural barriers or fence to restrict direct access to the site.

5.2 Soil and Air Targets

A. Threats to Public Health or Welfare

Since the drums were left unsecured there was a great potential for direct contact with any passerby. The flammable characteristics of the liquid in the drums presented a fire and explosion threat, which was accentuated since there were no mechanisms in place to separate the drums from potential ignition sources. Because the exact contents of the drums are unknown at this time, it is unknown if the drums presented any other health threats due to their toxicity. However, the drums did present a potential toxicity threat. If the contents of the drums exhibit any toxic characteristics, a direct exposure pathway to the public would have been easy to complete. The population most at risk were the people working at the BP station and its customers. Also, people driving into the shopping center would pass by the drums, as would pedestrians in the area. The population within one mile of the site is approximately 38,910 (Centracts Data for BP Sandy Plains Site).

B. Threats to the Environment

Due to their location the threat posed by the drums to the environment were minimal.

5.3 Soil Exposure and Air Pathway Conclusions

5.3 Soil Exposure and Air Pathway Conclusions

The soil exposure pathway appears poses no threat to human health or the environment, since all suspected drums were removed by U.S. EPA. A release of the air is not suspected.

6.0 SUMMARY AND CONCLUSIONS

The BP Sandy Plains Site is an active site. Work is underway to determine where the drums were purchased, and who purchased them. An attempt will then be made to trace the ownership of the drums, and the source of their contents. There is no sign of releases at this location. There are no groundwater wells in the study area being used for potable supplies, nor are there any surface water intakes found along the surface water pathway. Additionally, no release to the air is suspected due to the removal of both drums on site. During a second site inspection by Georgia EPD two more drums were found abandon on the property line between the BP Sandy Plains Site and the Medical First building. Both were in good condition and there was no apparent release. The U.S. EPA Emergency Response and Removal Branch were notified immediately. Also, the inspection revealed that the BP station was illegally storing four drums of their hazardous waste on site for a period greater than ninety (90) days. Two of the drums were did not have proper labels. A notice of violations from Georgia EPD is being sent to the BP headquarters in Atlanta concerning the improper storage and labeling of these drums. Based on all information provided, the BP Sandy Plains Site is not recommended for further remedial action at this time.

REFERENCES

- 1. Reginald Young, Field notes conducted on-site November 18, 1992 and January 19, 1993.
- 2. Paul Peronard, United States Environmental Protection Agency, Region IV, On-Scene Coordinator for BP Sandy Plains Site.
- 3. Topo-Aid, Re: Latitude/Longitude Coordinates.
- 4. Geologic Map of Georgia (1976), Georgia Geologic Survey, Atlanta, Scale 1:500,000.
- 5. McConnell Keith and Charlotte Abrams (1984), Geology of the Greater Atlanta Region, georgia Geologic Survey, Bulletin 96, p. 127.
- 6. Cressler, C. W., C. J. Thurmond, and W. G. Hester (1983), Groundwater in the Greater Atlanta Region, Georgia Geologic Survey, Information Circular 63, p. 144.
- 7. Centracts Data, Frost Associates, BP Sandy Plains Drumsite Rising Fawn, Georgia.

APPENDICES

- A. POTENTIAL HAZARDOUS WASTE SITE PA FORM
- **B. PA SCORESHEETS**
- C. CERCLA OFF-SITE DISPOSAL REPORTS
- D. UNIFORM HAZARDOUS WASTE MANIFEST
- E. U.S.G.S. MAPS WITH 4-MILE RADIUS INFORMATION

OMB Approval Number: 2050-0095 Approved for Use Through: 1/92

SEPA Potentia	l Hazardo	ous		Identifi	cation
Waste S			_	State GA	CERCLIS Number:
Prelimir	nary Asses	ssmen	t Form	CERCLIS D	iscovery Date:
1. General Site Informat	ion				
Name: BP Sandy P	lains	Street Addres	2670) Sandy	Plains Road
ciry: Marietta		State: (F/	Zip Cod 300 (Co. Code: Code.
Latitude: Longitud	le:	Approximate		Status of Site	
34° 00' 45.0" 84	· 29 · 44 · 0"		Acres Square Ft		NA (GW plume, etc.)
2. Owner/Operator Info	rmation				
Owner: BP DII Co	mpany	Operator:	BPC).1 (on	npanll
Street Address: 9040 Roswell Ro	' !	Street Ad			1 Stc 500
city: Atlanta	 	City:	Atlant	0	
State: Zip Code: Telephone 440	8 641240	14 Shale	Zip Code: 30350	Telephone: (404	641-2404
Type of Ownership: Private	cipal Specified	800	ially Identified: Citizen Complain PA Petition State:Local Prog RCRA/CERCLA	ram	Federal Program Incidental Not Specified Other MACILLE
3. Site Evaluator Inform	ation				POLICE.
Regented & Young	Agency/Organizati	PO	1	Date Prepared.	- 93
Street Address: 205 Bd	Hur St 1	41154	City:	Flunta	State: GA
Name of EPA or State Agency Contact	aduct		Street Address	205 B	41154 30334
cin: Atlanta			State 1	elephone (404)	656-2833
4. Site Disposition (for L	EPA use only)				
Emergency Response/Removal Assessment Recommendation:	CERCLIS Recommends		Signature		
T Yes No Date:	Lower Priority S NFRAP RCRA Other	SI	Name (typed)		
	Date	- 1	Position		

Potential Hazardous Waste S Preliminary Assessment Form		CERCLIS Number: 6A0984291				
5. General Site Characteristics						
Predominant Land Uses Within 1 Mile of Site reheck all that app Industrial Agriculture DOI Commercial Mining Other Federal Facil Residential DOD Forest/Fields DOE Other	ity	ting: ## Urban Suburban Rural	Years of Operation: Beginning Year Ending Year Unknown			
☐ Inorganic Chemicals ☐ Just ☐ Plastic and/or Rubber Products ☐ M ☐ Paints, Varnishes ☐ Ot ☐ Industrial Organic Chemicals ☐ DO ☐ Agricultural Chemicals ☐ DO ☐ (e.g., pesticides, fertilizers) ☐ DO	cycling nk/Salvage Yard unicipal Landfill her Landfill DD DE DI her Federal Facility	-	Waste Generated: Onsite Onsite Offsite Onsite and Offsite Waste Deposition Authorized By: Present Owner Former Owner Present & Former Owner Unauthorized Unknown			
		Generator	Waste Accessible to the Public: Yes No Distance to Nearest Dwelling, School, or Workplace:			
Source Type: Source Waste Quant (check all that apply) (include units) Landfill Surface Impoundment Drums Tanks and Non-Drum Containers Chemical Waste Pile Scrap Metal or Junk Pile Tailings Pile Trash Pile (open dump) Land Treatment Contaminated Ground Water Plume (unidentified source) Contaminated Surface Water/Sediment (unidentified source) Contaminated Soil Other No Sources	ity: Tier*:	☐ Metals ☐ Organics ☐ Inorganics ☐ Solvents ☐ Paints/Pigments ☐ Laboratory/Hospi ☐ Radioactive Waste ☐ Construction/Dem Waste ☐ Physical State of Wa apply). ☐ Solid	ste as Deposited (check all that			

	Hazardous Waste Site ry Assessment Form - Page	cerclis Number: Ge 3 of 4 GAD9842912				
7. Ground Water Par	thway		*			
Is Ground Water Used for Drinking Water Within 4 Miles: X Yes No Type of Drinking Water Wells Within 4 Miles (check all that apply): Municipal Private None	Is There a Suspected Release to Grow Water: Yes No Have Primary Target Drinking Water Wells Been Identified: Yes No If Yes, Enter Primary Target Popular	Withdrawn From: 0 - ¼ Mile > ¼ - ½ M > ½ - 1 Mile > 1 - 2 Mile	ite $\frac{949}{3784}$ ite $\frac{15858}{28367}$ is $\frac{28367}{38960}$			
Depth to Shallowest Aquifer: 70 Feet Karst Terrain/Aquifer Present: Yes No	Nearest Designated Wellhead Protect Area. Underlies Site > > 0 - 4 Miles None Within 4 Miles	on Total Within	4 Miles 0 (1 A D)			
8. Surface Water Pa	thway					
	Pond Lake Other	Shortest Overland Distance From Peet Miles	om Any Source to Surface Water:			
Is There a Suspected Release to Surface Yes No	e Water:	Site is Located in: ☐ Annual - 10 yr ☐ > 10 yr - 100 y ☐ > 100 yr - 500 ☐ > 500 yr Flood	r Floodplain yr Floodplain			
Drinking Water Intakes Located Along □ Yes No	the Surface Water Migration Path:	List All Secondary Target Drin Name Water Body	iking Water Intakes: Flow (cfs) Population Served			

Total within 15 Miles

Flow (cfs)

List All Secondary Target Fisheries:

Water Body/Fishery Name

∑ Yes No

> ☐ Yes No

If Yes, Enter Population Served by Primary Target Intakes:

Fisheries Located Along the Surface Water Migration Path:

Have Primary Target Fisheries Been Identified

Yes
No

_ People

SEPA

Potential Hazardous Waste	Site	CERCLIS Number:
Preliminary Assessment Fo	rm - Page 4 of 4	GAD984291260
8. Surface Water Pathway (contin	ued)	
Wellands Located Along the Surface Water Migration Path: Yes	Other Sensitive Environments Located Yes No	Along the Surface Water Migration Path:
Have Primary Target Wetlands Been Identified: ☐ Yes ☐ No	Have Primary Target Sensitive Environ Yes No	aments Been Identified:
List Secondary Target Wetlands: Water Body Flow (cfs) Frontage Miles	List Secondary Target Sensitive Environment Water Body Flo	onments: ow (cfs) Sensitive Environment Type
9. Soil Exposure Pathway		
Attending School or Daycare on or Within 200 Feet of Areas of Known or Suspected Contamination:	□ None □ 1 - 100 □ 101 - 1,000 □ > 1,000 □ > 1,000	
10. Air Pathway		
Is There a Suspected Release to Air: Yes No Enter Total Population on or Within:	Wetlands Located Within 4 Miles of the Yes No	Site:
0 - 4 Mile 310 > 4 - 1/2 Mile 3784 > 1/2 - 1 Mile 3784	Other Sensitive Environments Located W	/ithin 4 Miles of the Site:
>1 - 2 Miles $\frac{\cancel{5}\cancel{5}\cancel{5}\cancel{5}\cancel{5}}{\cancel{2}\cancel{5}\cancel{5}\cancel{5}\cancel{5}\cancel{5}}$ >3 - 4 Miles $\frac{\cancel{2}\cancel{5}\cancel{5}\cancel{5}\cancel{5}\cancel{5}\cancel{5}\cancel{5}\cancel{5}\cancel{5}5$	List All Sensitive Environments Within Distance Sensitive Environments Onsite 0 - 4 Mile	1/2 Mile of the Site: mment Type/Wetlands Area (acres)
	> ¼ - ½ Mile	

APPENDIX A

OMB Approval Number: 2050-0095 Approved for Use Through: 1/92

PA Scoresheets

Site Name: BP Sandy Plains

CERCLIS ID No.: GAD 984291260

Street Address: 2670 Sandy Plains Rd

City/State/Zip: Marietta GA30060

Investigator: Reginald Young
Agency/Organization: Georgia EPD
Street Address: 205 Butler St#1154
City/State/Zip: Atlanta GA 30334
Date: 1/20/93

Date: 1/29/93

GENERAL INFORMATION

Site Description and Operational History:

The BP Sandy Plains Site is a gas/station
Convenience store located at 2670

Sandy Plains, Marietta Cobb County, Georgia.

The geographic coordinates are 34°00'45" N


latitude and 84°29'44" longitude. There
are several residences, a shopping center,

three gas stations, and some commercial
enterprises with a one-quarter mile
radius of the property. The shopping center
is adjacent to the site, located on the
same corner of the intersection. Both Sandy
Plains Road and Barrett Parkway are heavily trafficked.

Probable Substances of Concern: (Previous investigations, analytical data)

The BP Sandy Plains Site was referred to the Emergency Responce and Removal Branch by the Marietta Police Department on April 10, 1992. The On-Scene Coordinator (OSC) discovered two unmarked, 55-gallon containers of unknown liquid. Upon viewing the scene the OSC issued a verbal delivery order to an ERCS contractor to do a hazard category screening, remove the drums to a secure facility, sample the drums to identify their contents, and then arrange for the appropriate disposal of the material.

BP Sandy Plains 1/29/93



County Name Cobb

Picture No 1 of 2

Site Name BP Sandy Plains

Date 11/18/92 Weather Sunny

Direction Facing Time

Photographer RK Young

Program HWMP


Explanation: The 15 the grea

Luhere the Ghandoned drums

were found.

Other: Drums in the picture

belong to BP



County Name Cobb

Picture No 2 of 2

Site Name BP Sandy Plain(
Date 1-19-93 Weather Overcust

Direction Facing Time

Photographer KY

Program HWMP

Explanation:

Two drums abandoned

On the property between

BP and medicul first buildin

Other:

These drums were noticed

On the second site visit.

They were reported to the

Emergency Response and Removal

Branch at Et.A.

Site name: BP Sandy Plains
Date: 1/29/93

SOURCE EVALUATION

Source No.:	Source Name: 0 ~ u m 5	Source Waste Quantity (WQ) Calculations:
Source Description	1:	
2 5	5-gallon drums	110 gallons of liquid waste
	· · · · · · · · · · · · · · · · · · ·	<u> </u>
Source No.:	Source Name:	Source Weste Quantity (WQ) Calculations:
Source Description	1	
		·
Source	Source Name:	Source Weste Quantity (WQ) Calculations:
No.:	Courts (taile.	Source Williams (W.E.) Gardinations.
Source Description	:	
	•	
	!	
		Site WC:
		18

Date:

PA TABLE 1: WASTE CHARACTERISTICS (WC) SCORES

PA Table 1a: WC Scores for Single Source Sites and Formulas for Multiple Source Sites

Ţ		SINGLE	SOURCE SITES (assigned WC	scores)	MULTIPLE SOURCE SITES
E	SOURCE TYPE	WC = 18	WC = 32	WC = 100	Formula for Assigning Source WQ Values
T BRC + - FREOR	N/A	≰100 lb	> 100 to 10,000 lb	>10,000 lb	10 + 1
}<	N/A	≤ 800,000 lb	> 600,000 to 50 million its	>60 million its	ib + 5,000
	Landfill	≤6.75 million ft ⁴ ≤250,000 yd ³	> 6.75 million to 675 million ft ³ > 250,000 to 25 million yd ²	>675 million ft ^a >25 million yd ^g	ft ³ + 67,500 yd ³ + 2,500
	Surface impoundment	≤6,750 ft ³ ≤250 yd ³	>6,750 to 675,000 ft ⁸ >250 to 25,000 ye ²	>675,000 ft ^d >25,000 yd ³	$ft^3 + 67.5$ $yd^3 + 2.5$
V	Drums	≰1,000 drums	>1,000 to 100,000 drums	>100,000 drume	drums + 10
0	Tanks and non- drum containers	≤50,000 gallens	>50,000 to 5 million gallons	>6 million gallons	gallons + 500
M	Contaminated soil	≤6.75 million ft ³ ≤250,000 yd ³	>6.75 million to 675 million ft ³ >250,000 to 25 million yd ³	>675 million ft ³ >25 million yd ³	אי + 67,500 איט + 2,500
	Pile	≤6,750 ft ³ ≤250 yd ⁵	> 6,750 to 675,000 ft ³ > 250 to 25,000 yd ³	> 675,000 ft ² > 25,000 yd ²	ft ³ + 67.5 yd ³ + 2.5
	Other	≤6,750 ft³ ≤250 yd³	>6,750 to 675,000 ft ² >250 to 25,000 ye ²	>675,000 ft ⁸ >25,000 yd ⁸	ft ³ + 67.5 yd ³ + 2.5
	Landfill	≤340,000 ft ¹ ≤7.8 egree	>340,000 to 34 million ft ² >7.8 to 780 scres	>34 million ft ² >780 agree	ft ² + 3,400 acres + 0.078
	Surface impoundment	≤1,300 ft ³ ≤0.029 acres	>1,300 to 130,000 ft ² >0.029 to 2.9 acres	>130,000 ft ² >2,9 acres	$ft^2 + 13$ acres + 0.00029
REA	Contaminated soil	≤3.4 million ft ³ ≤78 agree	>3.4 million to 340 million ft ^a >78 to 7,800 acres	>340 million ft ² >7,800 earee	ft ² + 34,000 acres + 0.78
^	Pile *	≤1,300 ft² ≤0.029 acres	>1,300 to 130,000 ft ² >0.029 to 2.9 seree	>130,000 n ² >2.9 aeres	ft ² + 13 acres + 0.00029
	Land treatment	≤27,000 ft ² ≤0,82 acres	>27,000 to 2.7 million ft ² >0.62 to 62 scree	>2.7 millen ft ² >62 seres	$ft^2 + 270$ acres + 0.0062

1 ton = 2,000 fb = 1 yd^3 = 4 drums = 200 gallons

PA Table 1b: WC Scores for Multiple Source Sites

WQ Total	WC Seere
>0 to 100	18
>100 to 10,000	32
> 10,000	100

^{*} Use area of land surface under pile, net surface area of pile.

Site name: Date:

GROUND WATER PATHWAY GROUND WATER USE DESCRIPTION

Describe Ground Water Use Within 4-miles of the Site:
(Describe stratigraphy, information on aquifers, municipal and/or private wells)

The majority of the population within a 4-mile radius of the BP Sandy Plains Site obtains potable water from the Cobb County water system. There are approximately sixty (60) private drinking water wells within this radius. In general, there are two interconnected aquifers found in this area: the surficial or soprolite aquifer and the bedrock or crystalling aquifer. Groundwater occupies joints, fractures, and other secondary openings in the crystalline rock, and pore spaces in the overlying saprolite. Ground water is typically found under water table conditions at depths in excess of 30 (estimate) feet.

Calculations for Drinking Water Populations Served by Ground Water:

From 1 to 2 miles there are approximately 310 residents on city water with 3 using private wells. From 4 to 2 miles there are approximately 950 residents on city water with 9 using private wells. From 2 to 1 miles - 3784 residents - 38 on private wells. From 1 to 2 miles - 15858 residents - 129 on private wells. From 2 to 3 miles - 28367 residents - 138 on private wells. From 3 to 4 miles - 38960 residents - 153 on private wells.

GROUND WATER PAT	THWAY CRITERIA LIST
SUSPECTED RELEASE	PRIMARY TARGETS
Y N U o o n s k	Y N U o n k
Are sources poorly contained? Us the source a type likely to contribute to ground water contamination (e.g., wet	☐ ☐ Is any drinking water well nearby? ☐ ☐ ☐ Has any nearby drinking water well been closed?
lagoon)?	□ 💢 □ Has any nearby drinking water user reported foul-tasting or foul-smalling water?
☐ □ le precipitation heavy?	□ □ Ø Does any nearby well have a large drawdown or high production rate?
□ 🏋 □ Is the infiltration rate high? □ 🏋 □ Is the site located in an area of karst terrain?	□ ☒ □ Is any drinking water well located between the site and other wells that are suspected to be exposed to a hazardous substance?
□ □ □ Is the subsurface highly permeable or conductive? □ □ □ □ Is drinking water drawn from a shallow	Does analytical or circumstantial evidence suggest contamination at a drinking water well?
ground water?	□ □ □ Does any drinking water well warrant sampling?
Does analytical or circumstantial evidence suggest ground water contamination?	Other criteria? PRIMARY TARGET(S) IDENTIFIED?
Other criteria?	
Summarize the rationale for Suspected Release (attach an additional page if necessary):	Summarize the rationale for Primary Targets (attach an additional page if necessary):
A release to ground -	
water is not known	
and considered at this	
site. Furthermore, re-	
mediation by the emergenu	
responce brunch of the USEPA	
and their contractor has	
effectively removed the	
abandoned drums from	
the site.	

BP Sandy Plains 1/29/93 Date:

	Pathway Characteristics			
	Do you suspect a release (see Ground Water Pathway Criteria List, page 7)?	Yes		
	Is the site located in karst terrain? Depth to aquifer:	Yes	No A_	
	Distance to the nearest drinking water well:		1300 ft	
		A	8	
· IVEI II	HOOD OF RELEASE	Suspensed	No Suspected	
		, , , , , , , , , , , , , , , , , , ,	Antoneo	
	SPECTED RELEASE: If you suspect a release to ground water (see page 7), gn a score of 550. Use only column A for this pathway.		/F00 or 348)	
the	SUSPECTED RELEASE: If you do not suspect a release to ground water, and site is in karst terrain or the depth to aquifer is 70 feet or less, assign a score i00; otherwise, assign a score of 340. Use only column 8 for this pathway.		340	
	iR ⇒		340	
				l
TARGE	its			
drini	MARY TARGET POPULATION: Determine the number of people served by king water wells that you suspect have been exposed to a hazardous stance from the site (see Ground Water Pathway Criteria List, page 7).	0		
drini	ONDARY TARGET POPULATION: Determine the number of people served by king water wells that you do NOT suspect have been exposed to a hazardous stance from the site, and assign the total population score from PA Table 2. Are any wells part of a blended system? Yes No _X		10	
	If yes, attach a page to show apportionment calculations.	MANAGE - 4	UNIVALLE OF	_
wat	REST WELL: If you have identified a primary target population for ground er, assign a score of 50; otherwise, assign the Nearest Well score from Table 2. If no drinking water wells exist within 4 miles, assign a score of zero.	_	2	
or if	LHEAD PROTECTION AREA (WHPA): If any source lies within or above a WHPA, you have identified any primary target well within a WHPA, assign a score of 20; gn 5 if neither condition holds but a WHPA is present within 4 miles; otherwise	(M. L 4)	0	_
ass i	gn zero.	6-4	***	
7. RES	OURCES			_
-	7.		12	
	•		استنسسا	•
WAST	E CHARACTERISTICS	(140 = 34)		
C	If you have identified any primary target for ground water, assign the waste characteristics score calculated on page 4, or a score of 32, whichever is GREATER; do not evaluate part 8 of this factor.	(100,50, or 14)	(1905.50, er 146	
	f you have NOT identified any primary target for ground water, assign the waste characteristics score calculated on page 4.	110000000000000000000000000000000000000	18	
	WC -		18	
	•	(exhipset to a n	Nextmum et 100)	
GROUI	ND WATER PATHWAY SCORE: LR x T x WC 82,500	1		
				•

Page 8 of 24

PA TABLE 2: VALUES FOR SECONDARY GROUND WATER TARGET POPULATIONS

PA Table 2a: Non-Karst Aquifers

		Nearest			Рори	lation Ser	ved by W	ells Within	n Distance	Categor	Υ		
	ľ	Well	7	77	31	101	301	1,001	1,001	10,001	30,001	Greeter	
Distance		ichoose	80	to	to.	Ser.	.	10	80	240	*	ther .	Population
from Site	Population	highest)	10	30	100	300	1,000	1,000	10,000	30,000	100,000	100,000	Vake
O to X mile	310	20	$\overline{}$	2	5	16	52	163	521	1,633	5,214	16,325	
> % to % mile	950	18	①	1	3	10	32	101	323	1,012	3,233	10,121	1
> % to 1 mile	3784	9	1	1	(2)	5	17	52	167	522	1,668	5,224	2
>1 to 2 miles	15858	5	1	1	1	3	8	29	94	294	939	2,938	3
> 2 to 3 miles	28367	3	1	,	1	$(\widehat{2})$	7	21	68	212	678	2,122	2
>3 to 4 miles	38960	2	1	1	1	\odot	4	13	42	131	417	1,306	
	Nearest Well -	2										Score -	10

PA Table 2b: Karst Aquifers

		Population Served by Wells Within Distance Category									Nearest		
Í	Greeter	30,001	10,001	2,001	1,001	301	701	31	11	1	Well	1	
Populatio.	then	to	50	\$0	to I	to .	*	to	to .	-	(use 20		Distance
Value	100,000	100,000	30,000	10,000	1,000	1,000	300	100	30	10	for karstj	Population	from Site
<u> </u>	16,325	5,214	1,633	521	163	52	16	6	2	1	20		D to X mile
	10,121	3,233	1,012	323	101	32	10	3	1	1	20		> % to % mile
<u> </u>	8,162	2,607	816	261	82	26		3	1	1	20		> % to 1 mile
	8,162	2,607	816	261	82	26	•	3	1	1	20	ļ	>1 to 2 miles
	8,162	2,607	816	261	82	26	•	3	1	1	20		>2 to 3 miles
	8,162	2,607	816	261	82	26		3	1	1	20		>3 to 4 miles
	8,162 Score =		816	261	82	26		3	1	1	20	parest Well -	

Date: BP Sandy Plains

SURFACE WATER PATHWAY MIGRATION ROUTE SKETCH

Suface Water Migration Route Sketch: (include runoff route, probable point of entry, 15-mile target distance limit, intakes, fisheries, and sensitive environments)

Surface water runoff from the BP Sandy Plains Site would flow in a Northwesterly direction near the BP car wash and Eventually into the Cobb County Storm water runoff system. There are no drinking water intakes on the surface water pathway of this site.

The surface water pathway is not of Concern at the BP Sandy Plains Site. There is no sign of discolored soil or contamination at the site, therefore, a release to the surface water is not suspected.

Date: 1/29/93

SURFACE WATER PATHWAY CRITERIA LIST							
SUSPECTED RELEASE	PRIMARY TARGETS						
Y N U e o n s k □ 図 □ Is surface water nearby?	Y N U e o n s k □ X □ Is any target nearby? If yes:						
□ 🗖 □ le waste quantity particularly large? □ 🛱 □ le the drainage area large?	☐ Drinking water intake ☐ Fishery ☐ Sensitive environment						
☑ □ le rainfell heavy? ☑ □ □ le the infiltration rate low?	□ ☑ □ Has any intake, fishery, or recreational area been closed?						
Are sources poorly contained or prone to runoff or flooding?	□ 🎘 □ Does analytical or circumstantial evidence suggest surface water contamination at or downstream of a target?						
Is a runoff route well defined (e.g., ditch or channel leading to surface water)?	□ ズ □ Does any target warrant sampling? If yes: □ Drinking water intake						
Is vegetation stressed along the probable run- off route?	☐ Fishery ☐ Sensitive environment						
Are sediments or water unnaturally discolored?	Other criteria?						
☐ 💢 ☐ Has deposition of waste into surface water been observed?	PRIMARY INTAKE(S) IDENTIFIED? PRIMARY FISHERY(IES) IDENTIFIED?						
□ 💢 □ Is ground water discharge to surface water likely?	PRIMARY SENSITIVE ENVIRONMENT(S) IDENTIFIED?						
Ooes analytical or circumstantial evidence suggest surface water contamination?							
Other criteria?							
SUSPECTED RELEASE?							
Summarize the rationale for Suspected Release (attach an additional page if necessary):	Summarize the rationale for Primary Targets (attach an additional page if necessary):						
	·						

. ... 1941

Site name: Date:

BP Sandy Plains 1/29/93

SURFACE WATER PATHWAY LIKELIHOOD OF RELEASE AND DRINKING WATER THREAT SCORESHEET

	Pathwi	y Characteristics				1
	Do you suspect a release (see Surface Water Printerios to Surface water:	athway Criteria List, page 1	1)7	Yes	5280 h	
	Flood frequency: What is the downstream distance to the neares Nearest fishery? miles Nearest sen		miles	> 10 18) <u>Oyr - 500</u> yrs	
	11100 1000000					}
			<u></u>	A vaposted	No Suspensed	7
ELIHC	OOD OF RELEASE			Refere	Release	Refer
	CTED RELEASE: If you suspect a release to sur a score of 550. Use only column A for this pat					_
NO SU	SPECTED RELEASE: If you do not suspect a rele	ease to surface			1960,440,300 1000	ĺ
	use the table below to assign a score based on					
water	and flood frequency. Use only column 8 for this	pathway.				
	Distance to surface water ≤ 2,500 feet	500				ļ
	Distance to surface water > 2,500 feet, and				300	
	Site in annual or 10-year floodplain	500			300	ļ
	Site in 100-year floodplain	406				1
	Site in 500-year floodplain	300				1
	Site outside 500-year floodplain	100				1
				1000	7.00	-
		· L	R -		300	<u> </u>
					•	
Record by eac drinkin	G WATER THREAT TARGETS the water body type, flow (if applicable), and not	e limit. If there is no		·		
Record by eac drinkin	the water body type, flow (if applicable), and no h drinking water intake within the target distance g water intake within the target distance limit, fa positive zero scores.	e limit. If there is no actors 4, 5, and 6 Alow People Served				
Record by eac drinkin each re	the water body type, flow (if applicable), and no h drinking water intake within the target distance g water intake within the target distance limit, fa positive zero scores.	e limit. If there is no actors 4, 5, and 6 Row People Servedcfs				
Record by eac drinkin each re inteke	the water body type, flow (if applicable), and no h drinking water intake within the target distance g water intake within the target distance limit, fa positive zero scores.	e limit. If there is no actors 4, 5, and 6 Row People Servedcfscfscfs				_
Record by eac drinkin each ri Intake PRIMA above	the water body type, flow (if applicable), and not highly distance in the target distance graver intake within the target distance limit, for the target distance from the ta	e limit. If there is no actors 4, 5, and 6 Flow People Served cfs cfs				_
Record by eac drinkin each re Intelle PRIMA above Pathwi	is the water body type, flow (if applicable), and not drinking water intake within the target distance grater intake within the target distance limit, find the second scores. Name Weter Body Type RY TARGET POPULATION: If you suspect any than been exposed to a hazardous substance from any Criteria List, page 11), list the intake name(s)	e limit. If there is no actors 4, 5, and 6 Flow People Served cfs cfs				_
Record by eac drinkin each re Intake PRIMA above Pathwi	the water body type, flow (if applicable), and not highly distance in the target distance graver intake within the target distance limit, for the target distance from the ta	e limit. If there is no actors 4, 5, and 6 Flow People Served cfs cfs				
Record by eac drinkin each re Intake PRIMA above Pathwi	is the water body type, flow (if applicable), and not drinking water intake within the target distance grater intake within the target distance limit, find the second scores. Name Weter Body Type RY TARGET POPULATION: If you suspect any than been exposed to a hazardous substance from any Criteria List, page 11), list the intake name(s)	e limit. If there is no actors 4, 5, and 6 How People Served cfscfscfsdrinking water intake listed in the site (see Surface Water and calculate the factor		0		
Record by eac drinkin each re intake PRIMA above Pathwi	is the water body type, flow (if applicable), and not drinking water intake within the target distance grater intake within the target distance limit, find the second scores. Name Weter Body Type RY TARGET POPULATION: If you suspect any than been exposed to a hazardous substance from any Criteria List, page 11), list the intake name(s)	e limit. If there is no actors 4, 5, and 6 Flow People Served cfs cfs		0		
Record by eac drinkin each re interest record in the interest record	ithe water body type, flow (if applicable), and not drinking water intake within the target distance gwater intake within the target distance limit, fisceive zero scores. Name Weter Body Type RY TARGET POPULATION: If you suspect any has been exposed to a hazardous substance from any Criteria List, page 11), list the intake name(s) passed on the total population served.	e limit. If there is no actors 4, 5, and 6 ### People Served	0 -	0		_
Record by eac drinkinn each re Mitake PRIMA above Pathwascore to SECON drinkin	ithe water body type, flow (if applicable), and not drinking water intake within the target distance greater intake within the target distance greater intake within the target distance limit, fisceive zero scores. Name Weser Body Type RY TARGET POPULATION: If you suspect any has been exposed to a hazardous substance from any Criteria List, page 11), list the intake name(s) passed on the total population served. IDARY TARGET POPULATION: Determine the greater intakes that you do NOT suspect have the service of	e limit. If there is no actors 4, 5, and 6 ### People Served	0 -	0		_
Record by eac drinkin each ri Mitake PRIMA above Pathwi score to	ithe water body type, flow (if applicable), and not drinking water intake within the target distance gwater intake within the target distance limit, fisceive zero scores. Name Weter Body Type RY TARGET POPULATION: If you suspect any has been exposed to a hazardous substance from any Criteria List, page 11), list the intake name(s) passed on the total population served.	e limit. If there is no actors 4, 5, and 6 ### People Served	0 -	0		_
Record by eac drinkin each ri Mitake PRIMA above Pathwi score to	ithe water body type, flow (if applicable), and not drinking water intake within the target distance greater intake within the target distance greater intake within the target distance limit, fisceive zero scores. Name Weser Body Type RY TARGET POPULATION: If you suspect any has been exposed to a hazardous substance from any Criteria List, page 11), list the intake name(s) passed on the total population served. IDARY TARGET POPULATION: Determine the greater intakes that you do NOT suspect have the service of	e limit. If there is no actors 4, 5, and 6 ### People Served	0 -	0		
Record by eac drinkin each ri inteke PRIMA above Pathwi score t	ithe water body type, flow (if applicable), and not drinking water intake within the target distance greater intake within the target distance greater intake within the target distance limit, fisceive zero scores. Name Weser Body Type RY TARGET POPULATION: If you suspect any has been exposed to a hazardous substance from any Criteria List, page 11), list the intake name(s) passed on the total population served. IDARY TARGET POPULATION: Determine the greater intakes that you do NOT suspect have the service of	e limit. If there is no actors 4, 5, and 6 Flow Feaple Served	0 -	0		
Record by eac drinkin each ri inteke PRIMA above Pathwi score t	is the water body type, flow (if applicable), and not drinking water intake within the target distance grader intake within the target distance limit, find the second sec	e limit. If there is no actors 4, 5, and 6 Flow Feaple Served	0 =	0		
Record by eac drinkin each rich meach rich m	ithe water body type, flow (if applicable), and not drinking water intake within the target distance grater intake within the target distance grater intake within the target distance limit, fisceive zero scores. Name Weter Bedy Type RY TARGET POPULATION: If you suspect any has been exposed to a hazardous substance from any Criteria List, page 11), list the intake name(s) pased on the total population served. IDARY TARGET POPULATION: Determine the grater intakes that you do NOT suspect have being any intakes that you do NOT suspect have being from the site, and assign the total population. Are any intakes part of a blended system? You fixed the page to show apportionment called the page to show apportion the	e limit. If there is no actors 4, 5, and 6 How People Served	0 =		(36,14,2.1, or d)	
Record by eac drinkin each ri Inteke PRIMA above Pathwis score t SECON drinkin substa	is the water body type, flow (if applicable), and not drinking water intake within the target distance grater intake within the target distance grater intake within the target distance limit, find the series of t	e limit. If there is no actors 4, 5, and 6 How People Served	0 =		(20), 1-0, 2, 1, ₂₇ (0)	
Record by each drinkin each risk means risk	ithe water body type, flow (if applicable), and not drinking water intake within the target distance greater intake within the target distance greater intake within the target distance limit, forceive zero scores. Name Weter Body Type RY TARGET POPULATION: If you suspect any has been exposed to a hazardous substance from any Criteria List, page 11), list the intake name(s) passed on the total population served. IDARY TARGET POPULATION: Determine the greater intakes that you do NOT suspect have been carried intakes that you do NOT suspect have been carried intakes that you do NOT suspect have been carried intakes that you do NOT suspect have been carried intakes that you do NOT suspect have been carried intakes that you do NOT suspect have been carried intakes that you do NOT suspect have been carried intakes that you do NOT suspect have been carried intakes that you do NOT suspect have been carried intakes that you do NOT suspect have been carried into the proposition of the proposit	e limit. If there is no actors 4, 5, and 6 How People Served	0 =	()	(20), 1-0, 2, 1, or 0)	
Record by each drinkin each rich white each rich each each each each each each each ea	ithe water body type, flow (if applicable), and not drinking water intake within the target distance greater intake within the target distance greater intake within the target distance limit, find the series of t	e limit. If there is no actors 4, 5, and 6 How People Served	0 =	0	(20), 10, 2, 1, or 0)	
Record by each drinkin substa	is the water body type, flow (if applicable), and not	e limit. If there is no actors 4, 5, and 6 How People Served	0 =		(300, 100, 2.1, ₂₀ 00)	
Record by each drinkin sabove Pathwis score to the tarkin Neares the tarkin Neares the tarkin sabove the tarkin Neares t	is the water body type, flow (if applicable), and not	e limit. If there is no actors 4, 5, and 6 How People Served	0 =	0		
Record by each drinkin each rich white each rich each each each each each each each ea	is the water body type, flow (if applicable), and not	e limit. If there is no actors 4, 5, and 6 How People Served	0 =	0		

PA TABLE 3: VALUES FOR SECONDARY SURFACE WATER TARGET POPULATIONS

		Nearest			P	opulation	Served by	Intakes	Within Flo	w Catego	γ			
Surface Water		Intake	1	31	101	301	1,001	3,001	10,001	30,001	100,001	300,001	Greater	
Body Flow (see PA Table 4)	Population	(choose highest)	10 30	100	300	to 1,000	1,000	10,000	10 30,000	to	10	*	Man .	Population Value
300 77 1000 4/	ropusation	iognest/		700	- 330	1,000	2,000	/4.555	30,000	100,000	300,000	1,000,000	7,000,000	Vana
< 10 cfs		20	2	5	16	52	163	521	1,633	6,214	16,325	52,136	163,246	
10 to 100 cfs		2	1	1	2	5	16	52	163	521	1,633	5,214	16,325	
>100 to 1,000 cfs		1	0	o	1	1	2	5	16	52	163	521	1,633	
> 1,000 to 10,000 cfs		0	0	o	0	0	1	1	2	5	16	52	163	
> 10,000 cfs or Great Lakes		0	0	o	0	o	0	o	1	1	2	6	16	
3-mile Mixing Zone		10	1	3	8	26	82	261	816	2,607	8,162	26,068	81,663	
Nearest Intake = Score =														

PA TABLE 4: SURFACE WATER TYPE / FLOW CHARACTERISTICS WITH DILUTION WEIGHTS FOR SECONDARY SURFACE WATER SENSITIVE ENVIRONMENTS

Type of S	Type of Surface Water Body			
Water Body Type	OR	Flow	Weight	
minimal stream		< 10 cfs	1	
small to moderate stream		10 to 100 cfs	0.1	
moderate to large stream		> 100 to 1,000 cfs	N/A	
large stream to river		> 1,000 to 10,000 cfs	NA	
large river		> 10,000 cfe	NA	
3-mile mixing zone of				
quiet flowing streams or rivers		10 ofe or greater	N/A	
coastal tidal water (harbors,	<u>-</u>			
sounds, bays, etc.), ocean,		N/A	N/A	
or Great Lakes		•		

LIKELIHOOD OF RELEASE

Lowest Flow

< 10 cfs

10 to 100 cfs

> 100 cfs, coastal

tidal waters, oceans, or Great Lakes

Date:

B.P. Sandy Plains 1/29/93

SURFACE WATER PATHWAY (continued) HUMAN FOOD CHAIN THREAT SCORESHEET

Ent	r Surface Water Likelihood of Release score from	m page 12.	LR -		300	
Н	MAN FOOD CHAIN THREAT TARGETS					ì
8.	Record the water body type and flow (if application the target distance limit. If there is no fishery to distance limit, assign a Targets score of O at the	within the target	•			
	Rehary Name	Water Body Type	Row			
İ			cfs			
			cts			i
			cfs			
			cfs			
9.	PRIMARY FISHERIES: If you suspect any fisher to a hazardous substance from the site (see Su assign a score of 300 and do not evaluate Fact	rface Water Criteria	List, page 11),	(388)		
10.	SECONDARY FISHERIES			(214)		
A.	If you suspect a release to surface water and h but no primary fishery, assign a score of 210.	ave identified a sec	ondary fishery			
₿.	If you do not suspect a release, assign a Secon below using the lowest flow at any fishery with	- •			(\$10,30, o 18	

Secondary Fisheries Score

210

30

12

Date: BP Sandy Plains

SURFACE WATER PATHWAY (commund) ENVIRONMENTAL THREAT SCORESHEET

LIKELIHOOD OF RELEASE LR -Enter Surface Water Likelihood of Release score from page 12. ENVIRONMENTAL THREAT TARGETS 11. Record the water body type and flow (if applicable) for each surface water sensitive environment within the target distance limit (see PA Tables 4 and 5). If there is no sensitive environment within the target distance limit, assign a Targets score of 0 at the bottom of the page. Water Body Type **Environment Neme** cfs cfs cts cfs cfs 12. PRIMARY SENSITIVE ENVIRONMENTS: If you suspect any sensitive environment listed above has been exposed to a hazardous substance from the site (see Surface Water Criteria List, page 11), assign a score of 300 and do not evaluate factor 13. List the primary sensitive environments: 13. SECONDARY SENSITIVE ENVIRONMENTS: If sensitive environments are present, but none is a primary sensitive environment, evaluate Secondary Sensitive Environments based on flow. A. For secondary sensitive environments on surface water bodies with flows of 100 cfs or less, assign scores as follows, and do not evaluate part B of this factor: **Dilution Weight** Environment Type and Value Total (PA Table 4) IPA Tables 5 and 61 cfs cfs cfs ¥ cfs x B. If all secondary sensitive environments are located on surface water bodies with flows > 100 cfs, assign a score of 10.

GA EPD

Date: B.P. Sandy Plains

PA TABLE 5: SURFACE WATER AND AIR PATHWAY SENSITIVE ENVIRONMENTS VALUES

Sensitive Environment	Assigned Value
Critical habitat for Federally designated endangered or threatened species	100
Merine Senetuery	
National Park	
Designated Federal Wilderness Area	
Ecologically important areas identified under the Coastal Zone Wilderness Act	
Sensitive Areas identified under the National Estuary Program or Neer Coastal Water Program of the Clean Wa	iter Act
Critical Areas Identified under the Clean Lakes Program of the Clean Water Act (subcreas in lakes or entire em	all lakes)
Netional Monument (air pathway only)	
National Seashore Regression Area	
National Lakeshore Recreation Area	
Habitat known to be used by Federally designated or proposed endangered or threatened species	75
National Preserve	
National or State Wildlife Refuge	
Unit of Coastal Barrier Resources System	
Federal land designated for the protection of natural ecosystems	
Administratively Proposed Federal Wilderness Area	
Spawning areas critical for the maintenance of fish/shellfish species within a river system, bay, or estuary	
Migratory pathways and feeding areas critical for the maintenance of anadromous fish species in a river system	m
Terrestrial areas utilized for breeding by large or dense aggregations of vertebrate animals (air pathway) or	
semi-equatic foregers (surface water pathway)	
National river reach designated as Recreational	
Habitat known to be used by State designated endangered or threatened species	50
Habitat known to be used by a species under review as to its Federal endangered or threatened status	
Coastal Barrier (partially developed)	
Federally designated Scenic or Wild River	
State land designated for wildlife or game management	25
State designated Spenic or Wild River	
State designated Natural Area	
Particular areas, relatively small in size, important to maintenance of unique biotic communides	
State designated areas for protection/maintenance of aquatic life under the Clean Water Act	5
•	urface Water Pathway)
Wetlands	or
PA Table 9	(Air Pathway)

PA TABLE 6: SURFACE WATER PATHWAY **WETLANDS FRONTAGE VALUES**

Total Length of Wetlands	Assigned Value
Less than 0.1 mile	0
0.1 to 1 mile	25
Greater than 1 to 2 miles	50
Greater than 2 to 3 miles	75
Greater than 3 to 4 miles	100
Greater than 4 to 8 miles	150
Greater than 8 to 12 miles	250
Greater than 12 to 16 miles	350
Greater than 16 to 20 miles	460
Greater than 20 miles	500

Site name: BP Sandy Plains
Date: 1/29/93

SURFACE WATER PATHWAY (concluded) WASTE CHARACTERISTICS, THREAT, AND PATHWAY SCORE SUMMARY

	A	6
$r_{ m eff} = r_{ m eff}$	Suspected.	No Suspensed
WASTE CHARACTERISTICS	Release	Ridoss
14. A. If you have identified any primary target for surface water (pages 12, 14, or 15), assign the waste characteristics score calculated on page 4; or a score of 32, whichever is GREATER; do not evaluate part 8 of this factor.	(100 as 300	
8. If you have NOT identified any primary target for surface water, assign the waste characteristics score calculated on page 4.	(100.00. ar 10)	(1000,000, w 146
WC -		18

SURFACE WATER PATHWAY THREAT SCORES

Threet	Likelihood of Release (LR) Score (from page 12)	Targets (T) Seare (pages 12, 14, 15)	Pethwey Waste Characteristics (WC) Score (determined above)	Threat Seare LR x 7 x WC / 82.500
Drinking Water	300	0	18	()
Human Food Chain	300	0	18	0
Environmental	300	D	- 18	Jacobson to a commun of 669

SURFACE WATER PATHWAY SCORE (Drinking Water Threat + Human Food Chain Threat + Environmental Threat)

(artiset to a matter?	er 1988

Date: B. P. Sandy Plains

SOIL EXPOSURE PATHWAY CRITERIA LIST					
SUSPECTED CONTAMINATION	RESIDENT POPULATION				
	Y N U e o n s k U s any residence, school, or daycare facility or within 200 feet of an area of suspected contamination?				
Surficial contamination can generally be assumed.	ls any residence, school, or daycare facility located on adjacent land previously owned leased by the site owner/operator?				
	ls there a migration route that might spread hazardous substances near residences, schools, or daycare facilities?				
	Have onsite or adjacent residents or studer reported adverse health effects, exclusive apparent drinking water or air contamination problems?				
	Does any neighboring property warrant sampling?				
	□ □ Other criterie?				
nmarize the rationale for Resident Population (attach an o	RESIDENT POPULATION IDENTIFIED?				
nmarize the rationale for Resident Population (attach an e					
nmarize the rationale for Resident Population (attach an e					
nmarize the rationale for Resident Population (attach an e					
nmarize the rationale for Resident Population (attach an e					

Site name: BP Sandy Plains
Date: 1/29/93
WAY SCORESHEET

SOIL EXPOSURE PATHWAY SCORESHEE

	Pathway Characteristics		}
	Do any people live on or within 200 ft of areas of suspected contamination? Do any people attend achool or daycare on or within 200 ft of areas of suspected contamination?	Yes No _X	
	Is the facility active? Yes No If yes, estimate the number of workers:		
		Suspensed	
u	KELIHOOD OF EXPOSURE	Contemination	References
1.	SUSPECTED CONTAMINATION: Surficial contamination can generally be assumed, and a score of 550 assigned. Assign zero only if the absence of surficial contamination can be confidently demonstrated.	0	
RE	SIDENT POPULATION THREAT TARGETS		
	RESIDENT POPULATION: Determine the number of people occupying residences or attending school or daycare on or within 200 feet of areas of suspected contamination (see Soil Exposure Pathway Criteria List, page 18).	0	
3.	RESIDENT INDIVIDUAL: If you have identified a resident population (factor 2), assign a score of 50; otherwise, assign a score of 0.	D	
4.	WORKERS: Use the following table to assign a score based on the total number of workers at the facility and nearby facilities with suspected contamination:	116.16.6 = 4	
	Number of Workers Score 0 0 1 to 100 5 101 to 1,000 10 > 1,000 15	5	
5.	TERRESTRIAL SENSITIVE ENVIRONMENTS: Use PA Table 7 to assign a value for each terrestrial sensitive environment on an area of suspected contamination: Terrestrial Sensitive Environment Type Value		
	Sun -	18 40 48	
6.	RESOURCES		
	T =	5	
	TO TO THE PROPERTY OF THE PROP	(100L St. = 10)	
7.	Assign the waste characteristics score calculated on page 4. WC =	18	
RE	SIDENT POPULATION THREAT SCORE: LE X T X WC 82,500.	0	
NE	ARBY POPULATION THREAT SCORE:	14.2.0 H	
	IL EXPOSURE PATHWAY SCORE: sident Population Threat + Nearby Population Threat		

Site name: B. P. Sandy Plains
Date: 1/29/93
PATHWAY

PA TABLE 7: SOIL EXPOSURE PATHWAY TERRESTRIAL SENSITIVE ENVIRONMENT VALUES

Torrestrial Sensitive Environment	Assigned Value
Terrestrial critical habitat for Federally designated endangered or threatened species	100
National Park	
Designated Federal Wilderness Area	
National Monument	
Terrestrial habitat known to be used by Federally designated or proposed threatened or endangered species	75
National Preserve (terrestrial)	
National or State terrestrial Wildlife Refuge	
Federal land designated for protection of natural ecosystems	
Administratively proposed Federal Wilderness Area	
Terrestrial areas utilized by large or dense aggregations of animals (vertebrate species) for breeding	
Terrestrial habitat used by State designated endangered or threatened species	50
Terrestrial habitat used by species under review for Federal designated endangered or threatened status	
State lands designated for wildlife or game management	25
State designated Natural Areas	
Particular areas, relatively small in size, important to maintenance of unique blotic communities	_

Site name: B, P. Sandy Plains
Date: 1/29/93

AIR PATHWAY CRITERIA LIST								
SUSPECTED RELEASE	PRIMARY TARGETS							
Y N U ■ o n ■ k □ □ □ Are odore currently reported?								
Has release of a hazardous substance to the eir been directly observed? Are there reports of adverse health effects (e.g., headaches, nausea, dizziness) potentially resulting from migration of hazardous	If you suspect a release to air, evaluate all populations and sensitive environments within 1/4 mile (including those onsite) as primary targets.							
substances through the air? Does analytical or circumstantial evidence suggest a release to the air?	·							
Other criterie?								
SUSPECTED RELEASE? Summarize the rationale for Suspected Release (attach an a	<u></u>							

Site name: B.P. Sandy Plains
1/24/93

AIR PATHWAY SCORESHEET

	Posturay Characteristics				
	Do you suspect a release (see Air Pathway Criteria List, page 21)? Distance to the nearest individual:		Yes	No X	
			A	<u> </u>	
u	KELIHOOD OF RELEASE		Superior Release	No Suspented Release	References
1.	SUSPECTED RELEASE: If you suspect a release to air (see page 21), assign a score of 550. Use only column A for this pathway.		(1000)		
2.	NO SUSPECTED RELEASE: If you do not suspect a release to air, assign a score of 500. Use only column 8 for this pathway.			500	
TA	ARGETS	LR -		500	
-	PRIMARY TARGET POPULATION: Determine the number of people subject to exposure from a suspected release of hazardous substances to the air.	x 10 =			
4.	SECONDARY TARGET POPULATION: Determine the number of people not suspected to be exposed to a release to air, and assign the total population score using PA Table 8.		15177	43	
5.	NEAREST INDIVIDUAL: If you have identified any Primary Target Population for the air pathway, assign a score of 50; otherwise, assign the Nearest Individual score from PA Table 8.	:		20	
5 .	PRIMARY SENSITIVE ENVIRONMENTS: Sum the sensitive environment values (PA Table 5) and wetland acreage values (PA Table 9) for environments subject to exposure from a suspected release to the air.				
	Sensitive Environment Type Value				
7.	SECONDARY SENSITIVE ENVIRONMENTS: Use PA Table 10 to determine the score for secondary sensitive environments.	344 -	15-4	0	
8.	RESOURCES			10/	
W	ASTE CHARACTERISTICS	T =		106	
9.	A. If you have identified any Primary Target for the air pathway, assign the we characteristics score calculated on page 4, or a score of 32, whichever is GREATER; do not evaluate part 8 of this factor.	iste	1460 w 340	1965	
	If you have NOT identified any Primary Target for the air pathway, assign the waste characteristics score calculated on page 4.	**		18	
		wc -		18	
All	R PATHWAY SCORE: LR x T x W 82,500	<u>/C</u>	12	menus el 1480	

PA TABLE 10: DISTANCE WEIGHTS AND CALCULATIONS FOR AIR PATHWAY SECONDARY SENSITIVE ENVIRONMENTS

30,001

.

100,000

5,214

1,303

282

83

27

12

100,001

200,000

16,325

4,081

882

261

83

38

23

300.001

52,136

13,034

2.815

834

266

120

73

Man

163,246

40,811

8.815

2,612

833

376

228

Score -

1,000,000 1,000,000

Value

13

	Distance	Sensitive Environment Type and Value	
Distance	Weight	(from PA Toble 5 or 9)	Product
Oneite	0.10	×	
		×	
		×	
0-1/4 mi	0.025	×	
		×	
		×	
1/4-1/2mi	0.0064	×	
		×	
		Total Environments Score -	

Individua 301 1,001 2001 11 31 101 10,001 (choose Distance 60 . 80 80 te 4 . . from Ske 30 100 1,000 1000 10.000 521 1,633

2 1 Oneite 20 2 5 16 52 163 310 20 13 41 130 >0 to 15 mile 2 ٥ 1 1 > X to X mile

Negrost

PA TABLE 9: AIR PATHWAY VALUES

FOR WETLAND AREA

408 3 28 88 . 1 ٥ ٥ 0 1 1 3 26 > X to 1 mile

15858 3 ٥ 0 0

. ٥ 0 0 ٥ 0 1 1

PA TABLE 8: VALUES FOR SECONDARY AIR TARGET POPULATIONS

Population Within Distance Category

38960 0 0 O ٥ 0 0 >3 to 4 miles

20 **Nearest Individual**

Wetland Area

1 to 50 scree

Less than 1 acre

>1 to 2 miles

> 2 to 3 miles

Site : name:

1/29/93 Plains

Date: BPS and Plains

SITE SCORE CALCULATION

·	S	S²
GROUND WATER PATHWAY SCORE (S _{ew}):		
SURFACE WATER PATHWAY SCORE (S _{sw}):	0	, 0
SOIL EXPOSURE PATHWAY SCORE (S _s):		
AIR PATHWAY SCORE (S.):	12	144
SITE SCORE:	$\frac{S_{gw^2} + S_{gw^2} + S_{g^2} + S_{g^2}}{4}$	6

SHMMARY

		YES	NO
1.	is there a high possibility of a threat to any nearby drinking water well(s) by migration of a hazardous substance in ground water?	0	×
	A. If yes, identify the well(s).		
	B. If yes, how many people are served by the threatened well(s)?		
2.	Is there a high possibility of a threat to any of the following by hazardous substance migration in surface water?		
	A. Drinking water intake B. Fishery	00	BEB
	C. Sensitive environment (wetland, critical habitat, others) D. If yes, identify the target(s).		N N
3.	Is there a high possibility of an area of surficial contamination within 200 feet of any residence, school, or daycare facility?	0	×
	If yes, identify the property(ies) and estimate the associated population(s).		
4.	Are there public health concerns at this site that are not addressed by PA scoring considerations? If yes, explain:	٥	Þ
		L	

OHM Corporation

CERCLA Off-Site Disposal Report

Information required for CERCLA σ ff-site disposal activities on jobs conducted by OHM corporation under its ERCS contracts.

OHM	I Job #: 12446 DO#: 4001-F4-022 Preparation Date: 5/28/92
1.	Superfund site name: BP - Sandy Plains
	Location: Atlanta, GA
	EPA ID number: GA 36800 90005
2.	Type of action: $[\sqrt{\ }]$ Removal $[\]$ Remedial $[\]$ Other
3.	Type & Form of Waste: Type: organic over water
	Form: [√] Liquid [] Solid [] Sludge
4.	Quantity of Waste: (2) 55 gallon drums
5.	Pretreatment of waste (at CERCLA site) before transportation:
	None
6.	Receiving facility name / location / EPA ID # / Unit (if applicable):
0.	MKC Enterprises / Doraville, GA 30340 / GAD000616367
7.	Receiving region: _IV
8.	Date(s) of shipment: 4/1/42
9.	Pretreatment by receiving facility prior to final treatment or disposal
	None
10.	Final method of treatment or disposal / Unit of facility if different from above:
10.	A TOTAL Chemica /
11.	Type of liner in cell if waste was landfilled:
12.	Date of clean-up initiation: $4/10/9$ Z
	Date of clean-up completion: 57//92
4.0	
13.	Cost for disposal:
	Cost for transportation: ZOO =

		WASTE MANIFEST	1, .Generator's US EP/ G .A .3 .5 .8 .0 .(0 0 0 0 0	5 9°.8°	anitest Pent No. 7 4 A	2. Page of <u>1</u>	<u></u> _	<u>.</u>	shaded areas is saleral law.
A	1				A. State Manifest Document Number 90744 B. State Generator's ID					
1)		Generator's Phone (404) 347-3931		110.501	15 M. Jan			368009000	בו	0000616387
П	ļ.	Transporter 1 Company Name KC ENTERPRISES, INC.		A D O O	ID Number	9 6 7		Transporter's IC		457-1341
	_	Transporter 2 Company Name	. 8		IO Number	301		Transporter's 10		-13/-1341
П			1.	•			L	porter's Phone		
	MX	Ossignated Facility Name and Site Address KC ENTERPRISES, INC. 56 New Peachtree Rd.	10.	US EPA	iD Number			Facility's ID GADOCOS		
		oraville, GA 30340	G.	ADQC	0. 6. 1. 6	3 6 7	H. facili	404-457-1		Maria Sed off Co. Collins of the
	ι.	. US DOT Description (<i>Including Proper Shipping i</i> H <u>M</u>	Varne, Hezerd Class, e	nd ID Number) .		12. Cont No.	Typo	13. Total Quantity	14. Unit Wt/Val	-Wasie No.
	a.	RQ Waste Flammable Liqui X Flammable Liquid, UN1993		M: - *		4 # 7		est 1.0840	p.	. p001 -25 - 27
GE	b.	RQ Waste Corrosive Liqui	d, N.O.S.,	と.		0.00	7 6	EST		ASTERNATION OF THE
N		X Corrosive Material, UN17	760			-0		-	P	1 30002 1 10 5 1
ATO	с,		1 dec 1 to	· ·						i gangonare A N III fing to the
	d.		Service Service		••• •					gred grats five or that safer fives
						1::	<u> - </u>			Committee start
J. Additional Descriptions for Materials Listed Above WEMERGENCY RESPONSE 1. Additional Descriptions for Materials Listed Above WEMERGENCY RESPONSE 1. Special Handling Instructions and Additional Information If spill occurs, refer to Emergency Response Guidebook, Guide 1. Additional Descriptions for Materials Listed Above 1. Additio							er redscrives symmetri College (S. College)			
*	16.	GENERATOR'S CERTIFICATION: I hereby declare marked, and labeled, and are in of respect to proper fill an along extending generator, I certify that I have as and that I have taleded the procedule without of frequency. If I am a small quantity generator, I have made a grafford. Printed/Typed/Name	that the contents of this a condition for transport to program in place to reduce neat, storage, or disposal to	a resignment are fully highway according to values and to currently available	ly and accurating to applicable sicity of waste to me which mi	rely described ale internation generated to nimizes the po	above by rai and nat the degree	jonal geventreent theve determined the of teent pluft	on health an health an available	ionically practicable and the environment:
÷	177	. Tall (Terun and O)	Americale		12/		 			
RANSPORTER	-	Printed/Typed Name Michael J. Hodgson		Signature •	De d	Höde	>~~	rig.	0	.4 1 .0 9 .2
Q	18.	. Transporter 2 Acknowledgement of Receipt of N	Naterials			U		· · · · · · · · · · · · · · · · · · ·		· · · ·
Ę		Printed/Typed Name	and the second s	Signature	· · · · ·	·				lenth Day Year
FAC	19.	Jem 13a Actuar	W7 86	418			**************************************		,	remain agains Talan Talan
1-1-7	20). Fucility Owker or Operator, Cartification of roce		enals covered by	this manife	et except as	noted in	ffem 19,		A THE TO SERVE TO
		SHARON HODGS	ON	SIN .	acon	291	oda	2	"a r C	41392
	•		T	Ransporte	R#1					,